

ArcoPlus® polycarbonate sheet chambers sealed with aluminum tape are recommended in order to optimize ventilation and avoid dust accumulation.

324



cod. 4061    cod. 4062    cod. 4064    cod. 1169/B    cod. 4063

547




cod. 4045    cod. 4047    cod. 4046    cod. 4140    cod. 1169/B    cod. 4050    cod. 4052

684

6104

6124




8-10 cod. 2147    8 cod. 2148    cod. 4245    cod. 4252    cod. 4243    cod. 4244    32mm cod. 4332    cod. 4140    cod. 4045    cod. 1169/B  
12 cod. 2245    10 cod. 2265    62mm cod. 4333

684

6104


6124

Reverso



cod. 2146    8-10 cod. 2147    8 cod. 2148    cod. 4326    cod. 4138    cod. 4264    cod. 4310    cod. 4303    cod. 4218  
12 cod. 2245    10 cod. 2265    4350    4355  
12 cod. 2250    4355


626



32mm cod. 4332    cod. 4243    cod. 4244    cod. 2179    cod. 2180    cod. 4252    cod. 4271    cod. 4213    cod. 2182    cod. 1169/B  
62mm cod. 4333


626

Reverso



cod. 2146    cod. 2179    cod. 2180    cod. 4264    cod. 4263    cod. 4303    cod. 4328    cod. 2182    cod. 4310    cod. 4218

Onda



cod. 4262    cod. 4232    cod. 4256

Policarb® sheets can be complimented with a complete series of accessories that help the products adapt to a wide variety of uses.

Thickness	Length	Profiles "H" U.V. Protected	Thickness	Length	Profiles "U" U.V. Protected	Profiles "R" U.V. Protected	Thickness	Length
4-6mm	288in		4-6mm	288in			8-10/16mm	288in
cod. 1162/6000			cod. 1158/2100				cod. 2191/6000-2192/6000	
8-10mm	288in		8-10mm	288in		Profiles "F" U.V. Protected	Thickness	Length
cod. 1164/6000			cod. 1160/2100				8-10/16mm	288in
16mm	288in		16-20mm	288in			cod. 2193/6000-2194/6000	
cod. 1165/6000			cod. 1161/2100 2184/2100					Washer With Gasket

**USER GUIDE INFORMATION**



THE LEADERS IN POLYCARBONATE SHEET AND GLAZING SYSTEMS

**POLYCARBONATE**

